
1Location of the Data Link Connector (DLC)

The DLC (Data Link Connector or Diagnostic Link Connector) is the standardized 16-cavity connector where diagnostic scan tools interface with the vehicle's on-board computer. The DLC is usually located 12 inches from the center of the instrument panel (dash), under or around the driver's side for most vehicles. If Data Link Connector is not located under dashboard, a label should be there telling location. For some Asian and European vehicles, the DLC is located behind the ashtray and the ashtray must be removed to access the connector. If the DLC cannot be found, refer to the vehicle's service manual for the location.









2Diagnostic Trouble Codes (DTC) that identify which section of the emission control system has malfunctioned



OBDII/EOBD

Generic OBDII Diagnostics

The OBD II Diagnostics function is a fast-access option that allows you to carry out a quick test on the engine system of OBD II vehicles





Vehicle diagnosis



If the manufacturer of your vehicle is not listed, use the UP/DOWN scroll button to select **Other** and press the **OK** button.

















Review





Reset





3 Setings





Help






Register code




Software Update

This function allows you to update the scan tool software through a computer. www.dbscar.com

If you are a new user, slide right arrow next to Register to enter registration page





reristration information.

(1) no longer use the site services.
(2) the end of the qualifications of the users use the site services.
(3) notice this site to stop the users service.
End user services, the user the right to use the site services immediately suspended. Since then, the site is no longer any obligation.

14, notices
All notices can be sent to the user via e-mail or regular mail delivery. Powered by e-mail service transmitters message to the user, to tell them that the modification of the terms of service, service changes, or other important things.

15, in the ad-planning
Users can join in the information they published promotional materials or participate in the advertising campaign to showcase their products on the site of the free service. Any such promotional methods, including the transport of goods, payment services, business conditions, guarantees and advertising-related description are only the appropriate users and sdvertising sellers. The site does not accept any responsibility for the site under no obligation to bear any part of the responsibility for this type of advertising sales.

16, e-mail content ownership
User-defined content includes: text, software, sound, photographs, video, charts; all ad content; site users salon service to provide users with business information. All of these content are protected by copyright, trademark, labels, and the protection of other property ownership laws. Therefore, the user only in the site and advertisers authorization to use such content, but not unauthorized reproduction, recycled content, or create content-related derivative products.

17, the law
Users and the site agreed to resolve by arbitration related to this Agreement and the controversy generated by the use of the Sites
services, but this site have the right to choose to take the litigation, and the right to choose the admissibility of the proceedings of a
court of competent jurisdiction. If any terms of service conflict with the law, these provisions will be as close as possible to re-parsing,
while other provisions will remain on the user to produce legal effects and impact.

Confirm and agree with clause

oedtmroeiwjf	
dkfrelmkrqwn	
ewjrjernqlk@hotmail.com	
ksdak	
•••••	
•••••	
83490ei5rkwqjroi	
jdfsa	
○Male ⊙ Female	
1992-05-07	
Flease click to select V Please select state first V	
Please select country/region first Please select province / municipality first	
Ce-quality ratio vehicle diagnostic equipment rated equipment factor diagnostic connector can be rotated by 90 degrees, hard to break the wire ingressional connector can be rotated by 100 degrees, hard to break the wire ingressional diagnostic connector diagnostic connector diagnostic connector can be rotated by 100 degrees, hard to break the wire ingressional diagnostic connector diagnostic connector facility and in the state of the	
	dictrelnkrewn ewjrjernqlk8hotmail.com ksdak 83480eiSrkwqjroi jdfsa Male Female 1982-05-07 Please click to select Please select state first Please select country/region first Please select country/region first Please select municipality first Please select country/region first Please select state first Please select municipality first Registor Country Please select province / municipality first Registor Country Please select municipality first Please select province / municipality first Please select first Please select first Please select first Please selec

<u>If you have registered to be a member, input your name/CC</u> and password in Fig. 3-4, and then click the "Log In" button to enter the main menu screen directly

LAUNCH User center





Log in

No CC passport? Register now


◎ 1999-2012 LAUNCH Corporation.All Rights Reserved. 粤B2-20042039

Homepage | LAUNCH homepage | About us | Contact us | LAUNCH dealer





Doenload



Different vehicle software Different language

