



# Launch X431 software update instruction

## 1. Download software


1) Log in [www.dbscar.com](http://www.dbscar.com)




2) Click “Log in” at the upper right corner, input Login name and password.




3) Click the button “Log in”, one dialog box popup named “Security Alert”, select “Yes”.




4) Enter Download Center.




5) One-by-one to download DBSCAR\_SERIES-UPDATE, firmware upgrade package, X431 IV DISPLAY and car models software.




6) Please create new folder on the desktop and name as "X431".



7) The software saves as the “X431” folder, click “save”.




8) After download, the following listed file is what you download.




# 1. Setup DBSCAR\_SERIES-UPDATE

1) Double click “DBSCAR\_SERIES-UPDATE” and install it.



2) Choose English, click OK and follow the instruction to setup the

software. After finish installation, click Start-All Programs-Launch\_Dbs- Dbscar Serial Update Tool.



3) Open “Dbscar Serial Update Tool”.



4) Please tick before the software you want to update, and click “Update”.



**X431 SERIES UPDATE**

DBSCAR\_SERIES\_UPDATE V7.!!  
 X431IV DISPLAY V18.40  
 firmware upgrade package V11.  
 JMC V12.31  
 JACTY V18.01

选择升级的软件

最新版本  全选

源目录：  
C:\Documents and Settings\k...X431  
目标目录：  
F:\  
需要空间：7.20 MB  
可用空间：946.58 MB

升级工具  
升级工具版本：V7.5

软件信息  
软件标识：  
语言标识：

硬件信息  
匹配的测试盒：983290084840

升级 退出

升级

硬件连接：将CFATF卡读写器与计算机的USB口连接，并插入CFATF卡。

升级步骤：1. 选择需要升级的程序 2. 点击【升级】图标 3. 升级完成后，请先将CFATF卡弹出再拔出卡，以免丢失数据。

下载网站：[mycar.dbscar.com](http://mycar.dbscar.com)

当前状态：就绪

**LAUNCH TECH CO., LTD.** <http://www.cnlaunch.com> **LAUNCH**

5) The picture display update successfully.



6) Take out CF card or TF card; insert into the X431 main unit, then X431 can work.

**Note:** after update, maybe the main unit will ask you to adjust the touch screen, it is normal, after correctly adjust the touch screen, Launch X431 will work.